

Cornwall County Council.

Sanitary Committee.

ANNUAL REPORT,

VITAL STATISTICS,

And Meteorological Summary for 1910.

TRURO:

BLACKFORD, ROYAL PRINTERIES,

CORNWALL COUNTY COUNCIL.

County Sanitary Committee:

MR. WILLIAM COLE PENDARVES, Chairman of the County Council (Ex. Officio).

MR. WILLIAM HAWKE, Vice-Chairman of the County Council (Ex. Officio).

THE HONORABLE JOHN R. DE C. BOSCAWEN, Chairman.

MR. WILLIAM BENJAMIN SNELL, Wayton, Hatt, R.S.O., Vice-Chairman.

MR. JOHN HENRY BAWDEN, Pentreve, Truro.

" GEORGE SKEWES BRAY, Lanner House, Lanner,

REV. FRANCIS WILLIAM BRIGGS, The Vicarage, Maker, Plymouth.

MR. THOMAS REGINALD GRYLLS, Belmont, Falmouth.

- " THOMAS BROOKES HENDER, Landrends, Launceston.
- " JAMES HENDY, Truthan, St. Erme, Truro.
- ,, JOHN MICHAEL NICHOLLS, The Terrace, St. Ives.
- " JOHN PARNELL, Trecarne, Camelford.
- " HENRY MONTAGUE ROGERS, Nansloe, Helston.
- " JOHN SPEAR, Penyoke, Hatt, R.S.O.
- " WILLIAM STROUT, Tregardock, Delabole, R.S.O.
- " CHARLES TREGENZA, Boslandew, Paul, Penzance.
- " JOHN WHITWORTH, Basset Road, Camborne.
- " WILLIAM HENRY YEO, East Roose, Otterham, Camelford.


MR. CHRISTOPHER L. COWLARD, Clerk.

Place of Meeting: PUBLIC ROOMS, TRURO.

LOCAL SANITARY AUTHORITIES.

CHAIRMEN AND OFFICERS, 1911.

No. of District in Report.	Sanitary District	Chairman	Clerk	Medical Officer	Inspec t or
	RURAL				
1 1 <i>a</i> 2	Stratton Holsworthy Launceston Calstock	Peter Stacey Wm. Allin J. Rawling H. Read L. Bernell	G. H. Gurney J. Rowland G. C. White J. P. Blight J. Mitchell	D. A. Chamberlain W. G. Gray C. G. Gibson A. Bowhay, M.D. C. Wade	R. Banbury J. Fravne E. J. Harris
4 5	Boscastle	J. Parnell	7	E. J. Jerome	A. Metherell
6	Camelford Liskeard	Martin West	A. de C. Glubb	W. Nettle	E. Mallett
7	St. Germans	J. Spear	F. E Cleverton	R.T. Meadows, M.D.	J. A. Andrews
8	Bodmin	W. Phillips	J. Pethybridge	A. G. Salmon	W. J. Jenkins, M.S.I.
9	St. Columb	T) 117 T 1 '	C. E. Whitford		R. G. Hawken
10	St. Austell	F. W. Jenkin	J. Stephens C. Hancock	m ar m	T. Darlington E. W. Tonkin
11	Truro	J. Hendy, C.C	C. Hancock	1	J. Tredinnick
12	Redruth .	W. J. Trebilcock	T. C. Peter	A. E. Permewan, M.D.	W. Martin J. D. Hosking
13	East Kerrier	M. H. Holman	M. H. Truscott	J. Blamey	J. H. Chubb
14	Helston	P. H. Williams	A E. Ratcliffe	F. Chown, M.B.	R. J. Wearne
					T. J. Joyce
15	West Penwith	J. H. Roberts	T. H. Cornish E. N. V. Moyle	J. R. Richmond T. Brushfield, M.D.	J. Nicholas
16	Scilly Isles		E. N. V. Moyle	1. Di usimeni, M.D.	
	URBAN	O TT 1	T TO TOU I	TT D ' T	T TO' 1 1
17	Callington		J. P. Blight	H. Davies, Jun	J. Richards
18	Stratton & Bude	J. H. Treleven	R. A. Foster-Mellian C.C.	T. A. King	J. Ellis
19	Launceston	The Mayor	C. H. Peter	A. Budd	A. W. Grace
20	Liskeard	The Mayor	H. L. Caunter	W. Nettle	T. McMeikan
21	Torpoint	W. H. Terrell	A. N. F. Goodman	S. G. Vinter	R. H. Beaumont
22	Looe	Reg. A. Peter	R. Arthur Peter		C. Martin
$\begin{array}{c} 23 \\ 24 \end{array}$	Saltash . Bodmin	The Mayor The Mayor	J. Pethybridge	TO O TO	W. W. Harvey R. Buscombe
25	Lostwithiel	The Mayor The Mayor	J. P. Heath	TYP AC IDI	J. Knight
26	Wadebridge	W. H. Phillips	W. O. Wellington	J. E. Pellow	J. Bate
27	Truro City	The Mayor	F. Parkin	H. C. Sharp, M.B.	W. H. Ennor
28	Penryn	The Mayor	M. H. Truscott		J. P. Jenkins, c.e.
29	Falmouth	The Mayor	E. E. Armitage		H. Kelway
30 31	Helston St. Ives .	The Mayor The Mayor	J. W. Tyacke, C.C. E. Boase	M. R. Taylor J. M. Nicholls, M.D.	W. J. Winn F. E. Wintle, c.e.
32	Penzance	The Mayor The Mayor	T. H. Cornish	TTT	N. C. Whear, A.S.I.
33	Padstow	R. S. Langford	E. C. Williams	T TT	P. Blake
34	Newquay	J. Vivian	G. F. Nicholls	A. Hardwick, M.D.	J Ennor, Jun.
35	St. Austell	T. H. Williams	H. W. Higman		E. R. Groves
36	Redruth Camborne	W. Chandler W. J. Bennetts	T TO TO 11	T ID IDI	T \$17'11'
37 38	Phillack	O THE	337 O 77 41		37 317 (01 1
39	Hayle	TO TE	T T T	1	3.0
40	Madron	T. R. Bolitho	A 773 3	337 TO 33711	TT7 NT NF-113.
41	Paul	J. White, Jr	W. Curnow	H. R. Phillips	W. F. Trembath
42	Ludgvan	P. D. Thomas			J. N. Rowe
43	St. Just	S. James	P. H. Wallis	R. G. Nesbitt	J. Hodge
					No.





CORNWALL COUNTY COUNCIL.

Sanitary Committee,

Report for the Year 1910.

VITAL STATISTICS.

POPULATION.

As the results of the 1911 Census have not yet been published, we are unable to state the correct population of the County, and have, therefore, been obliged still to use that given in the Committee's Annual Reports for the last 6 years as the basis on which to prepare the Statistical Tables, viz.:

For the Rural Districts 186,376 ,, Urban ,, 136,329 For the County as a whole ... 322,705

Only in a few instances have the Medical Officers of Health ventured on an estimated population of their respective districts—the majority deeming it the wiser plan to wait for the Registrar General's authoritative figures.

BIRTHS.

In common with the rest of the country the condition of Cornwall's birth-rate is less favourable than in 1909. But the decline is not so pronounced as it is in the National rate. Compared with the average in the ten years 1900-1909, the birth-rate in 1910, showed a decrease of 1'7 per thousand,—the National decrease was 2'7 per thousand.

During 1910 6,753 births were registered, of which 3,449 were males and 3,304 females, giving a birth-rate of 20'92 per thousand, against 6,919 and 21'44 respectively for the previous year. The average rate for the last five years is 21'58. The previous five years' average was 21'79. It will thus be seen that the "down grade" has not been arrested, and the condition of the birth-rate remains unsatisfactory. Table 1 shows that in the Rural Districts 3,805 births were registered, of which 1,930 were males and 1,875 females, equal to a Rural birth-rate of 20'41 per thousand, and in the Urban 2,948, of which 1,519 were males and 1,429 females, equal to an Urban birth-rate of 21'62 per thousand.

The birth-rate in England and Wales in 1910 was 24.8 per thousand of the population, which the Registrar General says is 0.8 per thousand below the rate in 1909, and lower than the rate in any other year on record.

The rate for 77 Great Towns was 25, being 0.7 below last year's rate.

DEATHS.

Deaths registered from all causes during the year numbered 4,621, of which 2,301 were males and 2,321 females, giving a general death-rate of 14'31 per 1,000, against 4,763 and 14'75 respectively for the previous year—a fractional decline of 0'44. Compared with the average rate in the ten years 1900-1909, the death-rate in 1910 showed a decrease of 1'00 per thousand. The average death-rate for the last five years is 14'69. The previous five years' average was 14'98. The rate is thus 0'29 within the five years' average, and 1'00 below the ten years' average.

The Rural Districts contributed 2,452 to the total deaths—1,216 males and 1,236 females, giving a Rural death-rate of 13 15 per 1,000; and the Urban Districts 2,169—1,085 males and 1,084 females, giving an Urban death-rate of 15 91 per thousand. Table 7 shows that, with the exception of the birth-rate, all the various rates were in favour of the Rural districts. Similar conditions have obtained for the last five years.

The death-rate in England and Wales in 1910 was 13.4 per thousand, which the Registrar General says was 1.1 per thousand below the rate in 1909 and lower than the rate in any other year on record. The rate in 77 Great Towns was 14.3 per thousand. Cornwall's rate of 14.31 this year is nearly a point higher than the National rate—a rather exceptional circumstance, but one which singularly enough happened in 1905 and to a lesser degree, the County rate being '7 in excess of the rate for England and Wales.

AGE AND RELATION TO DEATHS.

Table 2 shows that of the 4,621 deaths, 577 occurred under one year of age (against 669 last year); 199 between one and five years (34 less than last year); 156 between five and fifteen years (23 more than last year); 197 between fifteen and twenty-five years (31 less than last year); 1,443 between twenty-five and sixty-five years (56 less than last year); and 2,049 amongst persons of sixty-five and upwards (13 more than last year). The Table also shows how these deaths were distributed among the Rural and Urban districts.

By eliminating the deaths under five and sixty-five years and over, the mortality among the active portion of the County's population is arrived at. It will be seen that these were 1,796 (61 less than last year), giving as it were, a death-rate of 5.56 per thousand. Similarly, the mortality rate of the 776 deaths under five years (126 less than last year), would be 2.40 per thousand, and in like manner that of the 2,049 deaths of aged persons (13 more than last year) would be 6.34.

ZYMOTIC DEATHS.

It is very gratifying to have to record another great improvement in the condition of the zymotic death-rate, For the last four years the rate has been declining. This year's decrease is very marked and is no less than 0.148 below last

year, i.e., 27 per cent. better. Diseases taken as zymotics for statistical purposes are the following:—Small-pox, Measles, Scarlet Fever, Whooping Cough, Diphtheria and Membranons Croup, Typhus Fever, Enteric or Typhoid Fever, Continued Fever, Cholera, and Diarrhœa and Dysentery, and the zymotic death-rate is calculated upon the number of deaths occurring from these diseases. Table 3 shows that there were 127 deaths during 1910, giving a zymotic death-rate of 0.393 per thousand, against 175 and 0.541 respectively for 1909, 187 and 0.579 respectively for 1908, and 223 and 0.691 respectively for 1907. The zymotic deaths included Measles, 18 (against 32 in 1909); Scarlet Fever, 8 (against 9 in 1909); Whooping Cough, 23 (against 44 in 1909); Diphtheria and Membranous Croup, 39 (against 26 in 1909); Enteric or Typhoid Fever, 8 (against 13 in 1909); Continued Fever, 1; and Diarrhœa, 30 (against 51 in 1909). There were no deaths from Small-pox, Typhus Fever nor Cholera.

Once more we would revert to the striking fact borne out by this Table (3) that compulsory notification tends to the lowering of the mortality rate of Infectious diseases, for it shows that out of the 127 zymotic deaths, 71, that is 55'90 per cent. were due to the three zymotic diseases, viz.:—Measles, Whooping Cough and Diarrhœa, which are not notifiable. The percentages for the last three years were 74'88, 71 and 72'57 respectively.

The zymotic death-rate for England and Wales in 1910 was 0'99 per thousand, and for 77 Great Towns 1'23. Cornwall's rate of 0'393 is again very much lower than the rest of the Country.

INFANTILE MORTALITY.

The condition of the Infantile death-rate still improves,—a very pleasing thing to record. There were 577 deaths under 1 year (inclusive of 133 premature births) against 669 in 1909, and 748 in 1908, giving a percentage of 12:46 of the total deaths, a death-rate of 1.78 per thousand of the County's population, and the proportion of 85:44 per thousand births. This proportion is 11:25 lower than last year. The death-rate and percentage are again each lower.

The relative proportions of the Rural and Urban Districts are as follows: Rural—303 deaths (inclusive of 74 premature deaths), giving a death-rate of 1.62 per thousand of its population, 12.35 per cent. of its deaths, and 79.63 per thousand births. Urban—274 deaths (inclusive of 59 premature deaths), giving a death-rate of 1.78 per thousand of its population, 12.63 per cent. of its population, and 92.94 per thousand births.

The last five years' average proportion per thousand births is 96.18. This year's Infant Mortality figure shews therefore a decided improvement, especially seeing that the previous five years' average was 102.67. As we remarked in our last Annual Report, undoubtedly the various educational and beneficent agencies now in operation, including Nursing Associations, the Midwives Act, and the issuing of pamphlets to poorer mothers on the proper rearing of children are bearing fruit.

The Infantile death-rate in England and Wales in 1910 was 106 per thousand births (three below the previous year), and for 77 Great Towns, 115.

INFECTIOUS DISEASES.

There is a break this year in the decline in the notifiable Infectious disease rate of the last three years. The prevalence of Diphtheria is entirely responsible for this. During 1910, 1,157 cases were notified or ascertained—an increase of 170 Table 6 shows the number of new cases of Infectious sickness coming to the knowledge of the Medical Officers of Health during the year. There were again no cases of Cholera, Typhus Fever, and Relapsing Fever reported for the year. In the Rural districts there were notified or ascertained one case of Smallpox (imported from Italy); 218 cases of Diphtheria (89 more than last year); 81 cases of Erysipelas; 286 cases of Scarlet Fever (90 less than last year); 23 cases of Enteric or Typhoid Fever (18 less than last year); 2 cases of Continued Fever; and 8 cases of Puerperal Fever (same number as last year); making a total of 619 cases, against 624 in 1909, giving a disease rate of 3.28 per 1,000 against 3.34 last year. In the Urban districts 538 cases were reported, equal to a disease rate of 3'94 per thousand, against 363 and 2.44 respectively for last year, and included 172 cases of Diphtheria (107 more than last year); 143 cases of Erysipelas (71 more than last year); 269 cases of Scarlet Fever (90 more than last year); 29 cases of Enteric or Typhoid Fever (19 less than last year); I case of Continued Fever; and 8 cases of Puerperal Fever The number of cases for the whole County was therefore as above stated, 1,157, giving a disease rate of 3.58 per 1,000, against 987 and 3.05 respectively for the previous year. 135 of the cases were under five years and 1,022 above. The five years' average of the disease rate is 416. The previous five vears' average was 4.26.

MEASLES AND WHOOPING COUGH.

The fatalities from Measles during the year numbered 18, against 32 in 1909, and 3 in 1908; and from Whooping Cough, 23, against 44 in 1909, and 88 in 1908. 4 of the 18 deaths from Measles occurred in the Rural districts, as did also 16 of the 23 deaths from Whooping Cough. The advantage in regard to Measles this year is with the Rural districts, a reversal of the conditions obtaining last year; but in regard to Whooping Cough the Urban districts had the advantage. As these diseases are not notifiable, the number of the cases cannot be stated, and for the same reason the ratio of percentage of deaths cannot be given.

The mortality rates for the whole country are:—Measles, 0.05 per thousand against 0.09 last year; Whooping Cough, 0.07 against 0.13 last year.

For England and Wales the death-rates from Measles and Whooping Cough are respectively 0.23 and 0.24 per thousand; and for 77 Great Towns, 0.31 and 0.29. As usual Cornwall's rates are greatly lower than the National rates in regard to these infantile diseases.

DIARRHŒA.

Diarrhœal diseases were responsible for 30 deaths, giving a death-rate of 0.09 per thousand, against 51 and 0.15 respectively for last year. Two-thirds of the deaths occurred in the Urban districts. Table 5 shows that 8 of the deaths, or 93.3 per cent. of the total number, were under 5 years of age. This percentage is five higher than last year, and 20 higher than in 1908. The hope we expressed in our last Annual Report that through the operation of the educational and other causes,

referred to under the head of Infantile mortality, a reduction of this excessively high percentage would soon be brought about, has not as yet been realised.

In England and Wales in 1910 the Diarrhœal death-rate was 0.29 per thousand, practically the same as in the previous year; and for 77 Great Towns, 0.38, same as last year. It will thus be seen that whilst the National has been stationary, Cornwall's rate has declined 70 per cent.

SCARLET FEVER.

Scarlet Fever was responsible for 8 deaths, against 9 the previous year and 15 in 1908, giving a death-rate of 0.02 per thousand. The number of cases notified, singularly enough, was the same as last year, viz.:—555. The percentage of deaths to attacks was 1.44, against 1.62 in 1909. In the Rural districts there were 3 deaths and 286 cases, which give a death-rate of 0.01 per thousand of the Rural population, and a ratio of 1.04 per cent. of the cases notified; and in the Urban districts there were 5 deaths and 269 cases, which give a death-rate of 0.03 per thousand of the Urban population, and a ratio of 1.84 per cent. of deaths to attacks. It will thus be seen that Scarlet Fever was more fatal and more virulent in the Urban districts than in the Rural—a reversal of the conditions obtaining last year.

For England and Wales the death-rate from Scarlet Fever in 1910 was 0'06 per thousand; and for 77 Great Towns, 0'08. Cornwall's rate of 0'02 again compares very favourably with that of the Country generally.

DIPHTHERIA AND MEMBRANOUS CROUP.

There were 39 deaths from these combined diseases during the year, against 26 in 1909, and 28 in 1908, giving a death-rate of 0'12 per thousand, and a ratio of 10 per cent. of the cases notified. The death-rate is 0'04 higher than last year, but the ratio is better by 3'40 per cent., which is indicative of the milder type of the diseases. The Rural districts contributed 218 cases and 22 deaths, giving a Rural death-rate of 0'11 per thousand, and a Rural ratio of 10'09 per cent.; and the Urban district's contribution was 172 cases and 17 deaths, giving an Urban death-rate of 0'12 per thousand, and an Urban ratio of 9'88 per cent. It will be noticed by these figures that practically these diseases were equally divided between the two divisions of the county. Last year the advantage was in favour of the Urban portion.

The Diphtheritic death rate for England and Wales last year was 0'12 per thousand; and a similar rate for 77 Great Towns. Cornwall's rate (0'12), which is generally below the National one, this year, is identical with it.

ENTERIC OR TYPHOID FEVER.

Only 8 deaths were caused by Enteric Fever during the year, giving a death rate of 0.02 per thousand of the County's population, against 13 and 0.04 respectively last year. The percentage of deaths to cases was 15.38. The death rate, it will be seen, is considerably better than 1909; but the ratio has not varied much—it was then 15.11. There was one death under 5 years of age. 4 deaths occurred in the Rural districts and 23 cases notified, giving a Rural death rate of 0.02 per thousand and a percentage of 17.39 deaths to attacks. The Urban districts contribution was 4 deaths, and 29 cases, giving an Urban death rate of also 0.02 per

thousand, and a ratio of 13 79 per cent. of deaths to attacks. This year the deathrate is the same in the two divisions of the County; but the ratio is in favour of the Urban portion.

For England and Wales the death rate for Enteric Fever last year was 0.05 per thousand, and the same rate for 77 Great Towns. Cornwall's rate of 0.02 is therefore 60 per cent. better than for the rest of the country.

SMALL-POX.

It is a matter for congratulation that the County still keeps free from this terrible and loathsome disease. But as in 1909 so last year one case was reported. It occurred in the last week in December in Liskeard Rural district The M.O.H., in his Annual Report says:—"The patient had come back straight from Italy, landing at Plymouth and sleeping the night there. The next day he came by train to Liskeard, and proceeded in a hired conveyance to his home, some seven or eight miles distant. The next day he felt very ill, and the day following the characteristic symptoms appeared The case was a severe one, but the patient has happily recovered and is able to resume his work. All the immates of the house were at once vaccinated, and a considerable number of those residing in the immediate neighbourhood sought protection in like manner. Fortunately the house in which the patient was located was more or less isolated, and it is a matter for great congratulation that the disease did not spread."

With respect to Small-pox and its natural corollaries, vaccination and isolation provision, we cannot do better than to repeat what we said in our last Annual Report:—"In regard to precautions against this terrible disease the Sanitary Authorities, with but few exceptions, appear to be waiting for epidemics to break out before taking action in the matter of Isolation provision. Adherence to the principles of a false economy sometimes leads to costly expenditure, and in this matter of want of Isolation provision, subsequent events may prove it to be wrong, both economically and to the general health. The Medical Officers of Health, in their Annual Reports, lay great stress on the fact that the Vaccination Act, by recent legislation, is really permissive in its character, and is virtually a dead letter. Consequently a large proportion of the population is now rising up without vaccination; and, in their opinion, vaccination is the best safeguard against Small-pox."

INFLUENZA.

The deaths assignable to Influenza during the year numbered 53, giving a death-rate of 0.16 per thousand, against 38 and 0.11 respectively for the previous year, and 49 and 0.15 respectively for 1908. Although there is an increase of 15 deaths, the disease does not appear to have assumed epidemic form in any particular district. And the deaths were spread over the whole year. The returns again show that Influenza was more fatal in the Rural districts than in the Urban—an inexplicable condition that has existed for the last five years. The Rural districts contributed 38 deaths, equal to a death rate of 0.20 per thousand of the Rural population, against 26 and 0.13 respectively last year; and the Urban districts contribution was 15 deaths, equal to death-rate of 0.11 per thousand of the Urban population, against 12 and 0.08 respectively last year.

CANCER.

It is with much gratification that we are able to report a decided improvement under the head of Cancer. Since 1903 this baffling disease has been increasing, with the exception of 1907, when there was a welcome break in the upward tendency. But this year the deaths have considerably lessened in number.

During the year 353 deaths occurred, being 27 less than in the previous year. The highest number of deaths occurred in the Rural districts as it generally does, but its death-rate is lower than the Urban's, by reason of the former's greater population. Tables 3 and 4 show that the distribution and rates were:—

Rural ... 191 deaths; death-rate 1'02 per thousand. Urban ... 162 deaths; death-rate 1'18 per thousand. County ... 353 deaths; death-rate 1'09 per thousand.

PHTHISIS.

There were 405 deaths due to Pulmonary Tuberculosis, giving a deathrate of 1.23 per thousand of the County's population, and a percentage of 8.76 of the total deaths, against 404, 1.23 and 8.42 respectively in 1909. The death-rate is, therefore, practically the same as last year; but the percentage is 0.34 higher. Deaths from other forms of the disease also have not varied much from last year the number being 118 against 114. The sexes and age periods of these deaths cannot be given, as only in a few instances is this information supplied. The average death-rate from Phthisis for the last five years is 1.29 per thousand, and from other forms of Tuberculosis, 0.33. The previous five years' averages were respectively 1'32 and 0 34. In the Rural districts 191 deaths were registered, equal to a deathrate of 1'02 per thousand of the Rural population, and 7'79 per cent. of its total deaths; and in the Urban districts 214 deaths occurred, equal to a death-rate of 1.56 per thousand of the Urban population, and 9.91 per cent. of its total deaths. The figures again demonstrate the advantage of Rural life over Urban life in regard to Tuberculosis diseases. In support of the National crusade against the "White Scourge," two Tuberculosis Exhibitions, inaugurated by the County Sanitary Committee, and under the auspices of the County Council, were held in October, one at Truro and the other at Bodmin. Lectures on the subject of the Prevention of Consumption were given by various District M.O.H.'s. The attendance at each place was very gratifying, and the lectures were of great educational value. It is hoped and believed that much good will result therefrom.

ACCIDENTS AND SUICIDES.

During the year the number of deaths reported as due to violence was 144—123 from Accidents and 21 from Suicides, against 130 and 32 respectively for the previous year. 67 of the Accidents and 11 Suicides occurred in the Rural districts, and 56 Accidents and 10 Suicides in the Urban districts. The death-rate equals 0'44 per thousand, and the percentage to the total deaths is—for the whole County 3'11; for the Rural districts 3'58; and for the Urban 3'04.

METEOROLOGY.

RAINFALL.—1910 was a very wet year—the mean total rainfall being 46'48 inches, 11'83 inches more than fell in the previous year. The average of the 5 years ending December 31st was 38'49 inches. The previous 5 years' average was 35'98 inches. The total rainfall at Greenwich was 28'c6 inches. The highest rainfall was at Liskeard (59'44), and the lowest at Tintagel (35'96 inches). The wettest month was December (7'58 inches), and the driest was March (0'98 inch).

TEMPERATURE.—The mean temperature for the whole County was 51'17 degrees, against 50'27 degrees for 1909. The mean temperature at Greenwich was 49'7 degrees, against 48'6 degrees in 1909. By Table 13 it will be seen that Cornwall's mean temperature for the Winter months was 45'35 degrees, against 43'63 degrees for 1909, and 45'23 degrees for 1908; and for the Summer months 56'98 degrees, against 56'92 for 1909, and 57'90 for 1908. The highest mean temperature occurred in August (60'75 degrees), and the lowest in January (43'59 degrees). The mean daily range of temperature was 10'70 degrees, and ranged from 13'08 degrees in May to 7'59 degrees in December. The highest mean temperature for the year was at the Lizard Lights Station (53'74 degrees), and the lowest at Launceston (49'12 degrees).

HUMIDITY.—The relative humidity of the air was 82 per cent., against 81 for 1909, and also for 1908 and 1907, and ranged from 87 in February to 76 in May.

SUNSHINE.—The total hours of bright sunshine recorded at six stations numbered 10,055, giving an average of 1,676 hours to each station. The previous year's total (from seven stations) was 13,588, and average 1,941 The highest recorded was at Bosahan (1,747), and the lowest at Falmouth (1,486). Fowey's total of 943 hours is only for 7 months (June to December).

This is the last Annual Report the County Sanitary Committee will be directly responsible for. Under the new era just now begun this work will devolve on the County Medical Officer (Dr. Robert Burnet). We confidently hope and believe that the new regime will be resultive of a vastly improved sanitary condition, and consequent reduction in the general death-rate, the zymotic death-rate, and the Infectious disease-rate.

Signed on behalf of the Committee,

JOHN R. DE C. BOSCAWEN,

Truro, May, 1911.

CHAIRMAN.

Table No. 1

Ta	ble No. 1.												
e e			В	IRTH	s.	.00	D	EATH	IS.	.00		ar	ıte
No. of District in Report.	SANITARY DISTRICT.	Population, 1901.	Male.	Female.	Total.	Birth-rate per 1,000.	Male.	Female.	Total,	Death-rate per 1,000.	Natural Increase.	Deaths under I year per 1,000 births.	Zymotic Death-rate per 1,000 of the population.
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	RURAL. Stratton Launceston Calstock Boscastle Camelford Liskeard St. Germans Bodmin St. Columb St. Austell Truro Redruth East Kerrier Helston West Penwith Scilly Isles	5,009 7,797 5,874 2,176 5,012 15,674 14,386 10,393 10,747 29,597 22,062 18,383 8,192 17,685 11,298 2,092	49 62 47 31 60 143 129 100 106 369 221 227 74 205 92 15	50 67 66 21 75 115 114 108 117 362 187 79 166 95 16	99 129 113 52 135 258 243 208 223 731 408 464 153 371 187	19·76 16·46 19·23 23·89 26·92 16·45 16·89 20·01 20·74 24·69 18·04 25·29 18·67 20·97 16·55 14·81	28 48 34 18 37 95 71 59 67 205 162 129 46 138 76	22 45 31 12 33 90 65 75 203 145 159 63 119 83	93 65 30 70 185 136 134 146 408 307 288 109		49 36 48 22 65 73 107 74 77 323 101 176 44 114 28 16	80·80 62·01 44·24 115·38 96·29 85·27 65·84 52·88 53·81 90·28 68·63 96·98 71·89 91·64 85·55 64·51	0·399 0·128 0·170 0·919 0·598 0·127 0·139 Nil 0·496 0·506 0·406 0·108 0·366 0·508 0·177 Nil
17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37	URBAN. Callington Stratton & Bude Launceston Liskeard Torpoint Looe Saltash Bodmin Lostwithiel Wadebridge Truro City Penryn Falmouth Helston St. Ives Penzance Padstow Newquay St. Austell Redruth Camborne Phillack	1,714 2,308 4,053 4,010 4,524 2,548 3,357 5,981 1,331 2,186 11,557 3,190 11,789 3,088 6,699 13,136 1,566 4,200 3,340 10,451 14,726 3,881	19 27 40 42 60 27 43 58 9 19 97 36 112 33 81 127 21 38 31 142 209 42	13 20 29 24 49 25 44 52 13 30 30 78 118 17 40 35 109 175 35	3805 322 47 69 666 109 522 38 197 68 245 63 159 245 384 77	18.66 20.36 17.02 16.03 24.09 20.40 25.61 18.39 16.52 17.38 17.04 21.31 20.78 20.40 23.73 18.65 24.26 18.57 19.76 19.76 19.78 24.01 26.07	1216 	100 199 333 299 255 133 244 622 95 399 555 103 111 199 300 800 129	22 42 69 72 60 25 45 176 41 180 62 102 220 21 46 63 3164 248 43	12·83 18·19 17·02 17·95 13·24 9·80 13·40 28·42 21·26 10·06 15·22 12·85 15·26 20·07 15·22 16·75 13·40 10·95 18·86 15·69 16·84 11·07	1353 10 5 Nil -6 49 27 42 -60 7 16 21 27 65 17 32 3 87 136 34	52·63 51·28 45·45 119·52 138·02 77·90	Nil 0·866 Nil Nil 0·784 0·298 0·501 0·751 Nil 0·692 Nil 1·424 0·971 0·746 1·294 0·638 Nil 0·898 0·478 0·135 Nil
39 40 41 42 43	Hayle Madron Paul Ludgvan St. Just	1,084 3,486 6,332 2,274 5,646	5 42 61 25 73	10 46 66 31 86		28.16	9 24 29 12 53		62 65 25 89	18·45 17·77 10·26 10·99 15·76	$ \begin{array}{r} -5 \\ 26 \\ 62 \\ 31 \\ 70 \end{array} $	90·90 39·37 89·28 44·02	0.922 0.860 0.473 Nil 0.531
	Rural	136,329	1930	 1875		20.41	1216	1236	$\phantom{00000000000000000000000000000000000$	15·91 13·15 15·91	779 1353 779	92·94 79·63 92·94	0·491 0·316 0·491
	Urban	$\frac{136,329}{322,705}$			$\frac{2948}{6753}$					14.31		85.44	0.491

Note—The following deaths in Workhouses, Infirmaries, Asylums, &c., are included in the above Table—Launceston (Rural), 1; Calstock (Rural), 5; Camelford (Rural), 6; St. Columb (Rural), 7; Truro (Rural), 20; East Kerrier (Rural), 9; Stratton and Bude (Urban), 11; Launceston (Urban), 5; Liskeard (Urban), 15; Torpoint (Urban), 6; Saltash (Urban), 2; Bodmin (Urban), 110; Truro City, 13; Falmouth (Urban)—on High seas—4; Helston (Urban), 24; St. Austell (Urban), 19; Redruth (Urban), 16; and Madron (Urban), 26. Total, 299.

MORTALITY FROM ALL CAUSES,

at subjoined Ages-1910.

Table No. 2

Ta	ble No. 2.															
No. of District in Report.	SANITARY DISTRICT.	Population, 1901.	Deaths at all ages.	Rate per 1,000.	Under 1 year.	Rate per 1,000.	1 and under 5.	Rate per 1,000.	5 and under 15.	Rate per 1,000.	15 and under 25.	liate per 1,000.	25 and under 65.	Rate per 1,000.	65 and over.	Rate per 1,000.
1 2 3 4 5 6 7 8 9 10 11 12 13	RURAL. Stratton Launceston Calstock Boscastle Camelford Liskeard St. Germans Bodmin St. Columb St. Austell Truro Redruth East Kerrier	5,874 2,176 5,012 15,674 14,386 10,393 10,747 29,597 22,062 18,383	50 93 65 30 70 185 136 14 146 408 307 288 109	9·98 11·92 11·06 13·78 13·96 11·80 9·45 12·89 13·58 13·78 13·79 15·66 13·30	8 5 6 13 22 16 11 12 66 28 45	1·59 1·02 0·85 2·75 2·59 1·40 1·11 1·05 1·11 2·23 1·27 2·44 1·34	3 1 1 5 3 4 5 7 18 14 9 3	0·59 0·12 0·17 0·45 0·99 0·18 0·27 0·48 0·65 0·60 0·63 0·48	2 5 2 1 6 8 8 18 12 4 5	0·39 0·64 0·34 0·45 0·37 0·56 0·74 0·60 0·54 0·21 0·61	5 2 3 2 1 5 8 8 14 19 10	0·99 9·25 0·51 0·91 0·31 0·56 0·76 1·30 0·64 0·45 0·48	15 33 21 7 17 55 48 45 39 129 81 92 27	2·99 4·23 3·59 3·21 3·39 3·50 3·33 4·32 4·35 3·67 5·00 3·29	17 44 33 13 34 94 52 65 66 158 162 129 63	3·39 5·63 5·61 5·97 6·78 5·99 3·61 6·25 6·14 5·33 7·34 7·04 7·69
14 15 16	Helston West Penwith Scilly Isles	17,685 11,298 2,092	257 159 15	14 53 14·07 7·17	34 16 2	1·92 1·41 0·95	13 7 1	0.73 0.59 1.47	5 2 	0·28 0·17 	9 8 1	0·50 0 70 0·47	66 45 2	3·73 3·98 0·95	130 81 9	7·35 7·16 4·30
17 18 19 20 21 22 23 24	URBAN. Callington Stratton & Bude Launceston Liskeard Torpoint Looe Saltash Bodmin (including Gaol	4,010 4,524 2,548	$ \begin{array}{c c} 2,452 \\ \hline 22 \\ 42 \\ 69 \\ 72 \\ 60 \\ 25 \\ 45 \\ 170 \end{array} $	13·15 12·83 18·19 17·02 17·95 13·24 9·80 13·40 28·42	3 5 4 8 8 3 4 6	1·62 1·75 2·16 0·98 1·99 1·76 1·17 1·17 1·00	95 2 1 5 2 1 1 1 3	0·50 1·16 0·43 1·23 0.49 0·22 0·39 0·29 0·50	78 1 1 4 1 2	0·41 0·24 0·24 0·88 0·39 0·59	104 	0·55 2·16 0·73 0·74 1·10 1·17	722 11 14 24 22 21 10 19 67	3·88 6·41 6·06 5·92 5·48 4·64 3·92 5 66 11·20	$ \begin{array}{r} 1150 \\ \hline 6 \\ 17 \\ 32 \\ 36 \\ 21 \\ 10 \\ 15 \\ 94 \end{array} $	6·17 3·50 7 36 7 89 8 97 4·64 3·92 4·46 15·71
25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43	and Asylum) Do. excluding do. Lostwithiel Wadebridge Truro City Penryn Falmouth Helston St. Ives Penzance Padstow Newquay St. Austell Redruth Camborne Phillack Hayle Madron Paul Ludgvan St. Just	1,331 2,186 11,557 3,190 11,789 3,088 6,699 13,136 1,566 4,200 3,340 10,451 14,726 3,881 1,084 3,486 6,332 2,274 5,646	15 22 176 41 180 62 102 220 21 46 63 164 248 43 20 62 65 25 89	(13·72) 11·26 10·06 15·22 12·85 15·26 20·07 15·22 16·75 13·40 10·95 18·86 15·69 11·07 18·45 17·77 10·26 10·99 15·76	1 22 8 21 7 20 28 2 4 3 30 53 6 3 8 5 7	(1·37) 0·45 1·90 2·50 1·78 2·26 2·98 2·13 1·27 0·89 2·86 3·59 1·54 2·76 2·29 0·78 2·19 1·23	(3) 1 8 2 8 4 6 15 1 1 3 5 15 2 7 2 8	(0.68) 0.75 0.69 0.62 0.89 1.14 0.63 0.23 0.89 0.47 1.02 0.51 1.15 0.87 1.41	1 2 5 3 6 2 2 12 · · · · · · · · · · · · · · · ·	0·75 0·91 0·43 0·94 0·50 0·64 0·29 0·91 0·23 1·19 1·14 0·13 0·77 0·92 0·57 0·63 0·43 1·06	1 8 3 13 2 11 4 3 3 6 3 1 1 4 6 6 1 6 6	0 45 0·69 0·94 1·10 0·29 0·83 2·54 0·71 0·57 0·19 0·25 0·92 1·14 0·94 0·43 1·06	10 6 12 19 5 27	(4·57) 3·00 3·65 6·05 3·13 5·51 4·53 4·47 4·49 1·91 5·00 6·28 5·45 6·24 2·57 5·53 3·44 3·00 2·19 4·78	9 10 63 15 67 35 42 95 11 16 32 54 83 21 9 36 24 11 35	(7·09) 6·75 4·57 5·45 4·70 5·68 11·33 6·28 7·23 7·02 3·80 9·56 5·16 5·63 5·41 8·30 10·32 3·79 4·83 6·19
	Rural Urban County	136,329	$ \begin{array}{r} 2,169 \\ \hline 2,452 \\ 2,169 \\ \hline 4,621 \end{array} $	15·91 13·15 15·91 14·31	303 274	$ \begin{array}{r} $	95 104	0.76 0.50 0.76 	78 78 78 	$ \begin{array}{r} 0.57 \\ \hline 0.41 \\ 0.57 \\ \hline 0.45 \end{array} $	104 93	0·60 0·55 0·60 0·61	722 721	5.29	 1150	6.59
		, , , ,														

Note—Deaths in Workhouses, Infirmaries, Asylums, etc., are included in the above Table as per details at foot of preceding Table. This accounts for the high death-rate of some districts—notably Liskeard (Urban), Bodmin (Urban), Helston (Urban), St. Austell (Urban), Redruth (Urban), and Madron (Urban).

MORTALITY FROM SUBJOINED CAUSES, 1910.

Table No. 3.

	able No. 3.																										-	-									
No. of District in Report.	SANITARY DISTRICT.		Maraha.	Measies.	Scariet Fever.	hooping Cor	Diph. and Memb. Croup.	Croup.	Typhus Fever.	Enteric Fever.	Fridomio Induona	Cholera.	Plagne.	Diarrhœa.	Enteritis.	Gastritis.	Puerperal Fever.	Erysipelas.	Phthisis.	Other Tubercular Diseases.	Cancer, Malignant Disease.	Bronchitis.	Pueumonia.	Pleurisy.	Other Diseases of Respiratory	Alcoholism. Cirrhosis of Liver.	Venereal Disease. Premature Rinth	Diseases and Accidents	of Parturition.	Heart Disease.	Accidents.	Suicides.	All other diseases and causes.	Total Deaths.	Total death-rate per 1,000 of the population.	Zymotic Deaths.	Zymotic death-rate per 1,000 of the population.
	RURAL.		z	\mathbf{z}	\overline{z}	z	z		z	\mathbf{z}	z^{-}	7	Z	\overline{z}		П						-															
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	Stratton Launceston Calstock Boscastle Camelford Liskeard St. Germans Bodmin St. Columb St. Au-tell Truro Redruth East Kerrier Helston West Penwith Scilly Isles			2	1	1	0 4 	 1		3		- -		1 2 1 1 2 3 10		1 6 2 1	1	2	4 10 8 2 4 11 12 8 8 27 29 26 10 19 11 2	2 1 5 2 3 8 4 1 12 4 14 8 5 8	11 25 17 3	5 8 3 7 13 11 8 14 43 17 17 4 18 12	4 4 4 2 4 12 8 17 8 26 11 10 2 13 5 	3 1 1	1 1 3 1	1 5 1 1	18			6 20 9 5 3 445 18 16 17 331 333 1 12 23 1	3 2 1 7 2 5 2 14 9 7 3 6 6 5 1	2 1 1 1 1 1 2 2	22 35 23 11 33 60 58 61 78 121 150 137 57 92 58 7	65 30 70 185 136 134 146 408 307 288 109 257 159	9·98 11·92 11·06 13·78 13·96 11·80 9·45 12·89 13·58 13·78 13·91 15·66 13·30 14·53 14·07 7·17	2 1 1 2 3 2 2 Nil 5 15 9 2 1	0·399 0·128 0·179 0·919 0·598 0·127 0·469 0·506 0·406 0·108 0·366 0·508 0·177 0·477
	URBAN.	-	+	4	-		-		-	-		-	<u> </u>	. —		-	_	3	191 ——	-	191 ——	180	126	-		10	1 74	13 	35		67	-			19 19	59 ——	
17 18 19 20 21 22 23 24 25 26	Callington Stratton & Bude Launceston Liskeard Torpoint Looe Saltash Bodmin Lostwithiel Wadebridge				 .	2	_			1		100		· · · · · · · · · · · · · · · · · · ·	1 1 2	1		1	1 2 6 5 9 3 6 22 	 2 3 1 2	 4 10 5 4 6 6 9 3 3	2 4 5 6 7 7 1	3 4 8 3 2 1 19 	21		1 2 1	1 1 1 1 1 1 1 1 1 1 1			2 5 14 13 12 3 2 28 1 4	 1 2 1 1 3 1 1	1 1 1	8 21 25 28 24 8 9 77 6 11	69 72 60 25 45 170 15	12·83 18·19 17·02 17·95 13·24 9·80 13·40 28·35 11·26 10·06	Nil 2 Nil Nil Nil 2 1 3 1 Nil	0.866 0.784 0.298 0.501 0.751
27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43	Truro City Penryn Falmouth Helston St. Ives Penzance Padstow Newquay St. Austell Redruth Camborne Phillack Hayle Madron Paul Ludgvan St. Just		1	1	1	1	-/-	2				2		 2 5 2 3 1	9	1	2	1 	3 8 8 1 22	2 1 4 3 3	1 4 7 10 15 3 2 2 4 2 8	18 4 4 16 8 15 14 4 1 6 6 11 22 2 4 3 4 5 5	2 11 5 14 2 2 4 6 10 3 2 5	1 · · · · · · · · · · · · · · · · ·	 1 1 	1 1 1	4			111 5 17 111 333 2 3 16 221 225 5 4 4 9 9	1 1 8 4 7 1 3 4 8 1 2 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	2 1 2 1 1	98 19 83 26 55 90 5 25 22 89 85 20 7 32 28 84	41 180 62 102 220 2, 46 63 164 248 43 20 62 65 25 89	15·22 12·85 15·26 20·07 15·22 16·75 13·40 10·95 16·84 11·07 18·45 17·77 10·26 10·99 15·76	8 Nil 5 3 5 17 1 Nil 3 5 2 Nil 3 Nil 3 Co	0·692 0·424 0·971 1·294 0·638 0·898 0·478 0·135 0·922 0·860 0·473
	0 ,	-	-1-	- -	-	_ -	7		-	4 -	- -	-		-	_	-	_		214				109	-		10		-	26						15.91	68	0.498
	Rural Urban	1	- 1				- 1	1.2.	_		_	_		_	_	_		_		_		180 170	126 109			10 10	. 74 4 59		2 35 4 26					_	13·15 15·91	59 68	0·316 0·498
		-	- -	i			-	3.	1		1		1			d	-	٦				-	235	T			-	-					1		14:31	127	0.393

Note.—Diseases marked Z at top of columns are counted Zymotics.

MORTALITY RATES

Per 1,000 of the Population in all Tabulated Diseases—1910.

Table No. 4.

	16 MO. 4.				1	1		Ī	1	1					1		I	
No. of District in Report.	SANITARY DISTRICT.		Small Pox.	Mensles.	Searlet Fever.	Whooping Cough.	Diphtheria and Memb. Croup.	Croup.	Typhus Fever.	Enteric Fever.	Other Continued Fever.	Epidemic Influenza.	Cholera.	Plague.	Diarrhoga.	Enteritis.	Gastritis.	Puerperal Fever.
	RURAL.		Z	\mathbf{Z}	\mathbf{z}	\overline{z}	\mathbf{z}		\mathbf{z}	\overline{z}	Z		Z	\mathbf{Z}	Z			
$\frac{1}{2}$	Stratton . Launceston	• •				0.18	0.12				••	0.19			0.19			••
3	Calstock	• •	1	::	0.17		0.12			::	::	0.17		k ::	::			
4	Boscastle											1.37			0 91	0.45		
5	Camelford					0.59			• •			0.59						
6 7	Liskeard St. Germans	• •	••		0.06		0.06	• •	• •	1)		$\begin{vmatrix} 0.12 \\ 0.13 \end{vmatrix}$			0.06	0.13	0.06	0.06
8	Bodmin	• •		::	::							0.28			1::	0.09		0.00
9	St. Columb				٠.	0.18				0.27		0.09				ķ	0.09	
10	St. Austell	٠.			0.03		0.33					0.13			0.04	0.10		
11 12	Truro Redruth	• •			1	0.18	0·18 	1				$0.09 \\ 0.32$		1::	0.04			
13	East Kerrier			0.2	1 ::	::			:	0.12							0.00	
14	Helston	٠.		0.11			0.55					0.20			0.16	0.16		0.05
15 16	West Penwith Scilly Isles	• •	• •				0.08			••		0.08		• •		0.26		
10	Delity Isles	• •			<u> </u>		0 47	•••	··-				···			<u> </u>		
			0.00	0.03	0.01	0.08	0.11	0.00	0.00	0.02	0.00	0.20	0.00	0.00	0 05	0.08	0.06	0 01
17	URBAN.		-			-	-			_	-	0.50						
17 18	Callington Stratton & Bud	de.	• •	••			0.43		•••	0.43		0.58			::		•••	••
19	Launceston			1	1::	1	0 10							1::	::	:		
20	Liskeard												1			0.24		
$\frac{21}{22}$	Torpoint Looe	• •		1		٠.	• •	• •	••		1	0.55			0.78	0.22	1	• •
23	Looe Saltash			1::	::					0.29		0.29		1 :: 1	0.76	0.59		::
24	Bodmin					0.33						0.16			0.16		::	
25	Lostwithiel		•		0.75							• •						
26	Wadebridge	• •	•••	•••		• • •	•••		••	••	•••	••				1	••	
27	Truro City				0.25	0.34						0.17			0.08	0.08		
28	Penryn									• •	e •						0.62	
$\begin{array}{c} 29 \\ 30 \end{array}$	Falmouth Helston	٠.		0.17		••	0.64	٠.	• •	••	••	0.17		••	0.25			
31	St. Ives	• •	::	0.35		••	$ \begin{array}{c} 0.64 \\ 0.14 \end{array} $			0.29					0.29		••	0.29
32	Penzance			0.76	3		0.15					0.07				0.15		
33	Padstow	• •	•••		0.63		••	••		• •	• •	• •					• •	
34 35	Newquay St. Austell	• •				••	0.89		•••	••	• •	••	• •	••		••	••	••
36	Redruth		::	::		0.09			: :		::						::	
37	Camborne	٠.										0.13	1		0.13	\$	0.06	
$\begin{array}{c} 38 \\ 39 \end{array}$	Phillack	٠.	• •	• •	1 •		0.00	• •		• •		0.57	••	• • •	• •	• •	,.	••
40	Hayle Madron	• •			• •	• •	0.92		• •	••		• •	•	•••	0.86	• •	• •	• •
41	Paul	• •		0.15			0.31	• •	• •			0.31	• •		• •		• •	0.15
42	Ludgvan	٠.	• •							•••		••	••					
43	St. Just	• •	••	• •	••	•••	0.17	0.35	••	••	0.17					0.17	• •	
			0.00	0.10	0.03	0.05	0.12	0.01	0.00	0.02	0.00	0.11	0.00	0.00	0.14	0.11	0.04	0.02
	Rural		0:00	0:02	0.01	0.08	0.11	0:00	0.00	0:02	0.00	0:20	0:00	0:00	0:05	0.00	0:06	0:01
	Urban				0.03													
	0.				-													
	County	• •	0.00	0.05	0.02	0.07	0.15	0.01	0.00	0.05	0.00	0.16	0.00	0.00	0.00	0.09	0.05	0 01

Note.—The total death-rate from all causes for the whole County was 14.31 per 1,000 of the population. The Zymotic death-rate was 0.393 per 1,000.

MORTALITY RATES

Per 1,000 of the Population in all Tabulated Diseases -1910.

Erysipelas.	Phthisis.	Other Tubercular Discases.	Cancer.	Bronchitis.	Pneumonia.	Pleurisy.	Other Diseases of Respiratory Organs.	Alcoholism, Chrhosis of Liver.	Venercal Disease.	Premature Birth.	Diseases and Accidents of Parturition.	Heart Disease.	Accidents.	Suicides.	All other Causes.	SANITARY DISTRICT.	No. of District in Report.
0·13 0·03	1·28 1·36 0·91 0·79 0·72 0·83 0·76 0·74 0·91 1·31 1·41 1·22	0·40 0·18 0·76	1·36 0·45 1·19 0·89 0·62 0·67 0·46 0·97 1·22 1·25 1·34 1·41	0·51 1·39 0·82 0·76 0·76 1·30 1·45 1·77 0·92 0·48 1·01	0.91 0.79 0.74 0.56 1.63 0.74 0.88 0.49 0.54 0.24	0.27		0 ·06		0·45 0·59 0·25 0·20 0·28 0·27 0·57 0·97 0·36 0·45	0.25 0.06 0.28 0.09 0.03	1.53 2.29 0.59 2.87 1.25 1.53 1.58 2.73 1.49 1.19 1.83 2.37	0·25 0·17 0·13 0·48 0·18	0·17 · · · 0 06 · · · 0·03 0·04 0·05 · ·	4·39 4·48 3·93 5·05 6·58 3·82 4·03 5·86 7·25 4·08 6·79 7·45 6·95 5·20 5·13 3·34	RURAL. Stratton Launceston Calstock Boscastle Camelford Liskeard St. Germans Bodmin St. Columb St. Austell Truro Redruth East Kerrier Helston West Penwith Scilly Isles	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16
0.01		0.37	1.02				0.10	0.05	0.00		0.06		0.35	0.05	5.38	URBAN.	
	1·24 1·98 1·17 1·78 3·67 ·· 0·45 1·29 0·62 1·01 0·97 1·34 0·91 1·91 ·· 0·95 2·76 2·29 1·45 0·45	0·344 0·311 0·42 0·45 0·19 0·40 0·511 0·92 0·28 0·68 1·311 0·53	2·46 1·24 0·88 2·34 1·78 1·50 2·25 1·37 1·03 0·31 1·18 1·29 1·04 0·91 0·63 2·09 0·95 1·02 0·47 0·47 0·47 0·68 1·41	1·73 1·23 (·49 ·· 2·08 1·16 0·75 ·· 1·55 1·36 2·59 2·23 1·06 2·54 ·· 1·79 1·04 1·49 0·51 ·· 1·14 0·47 1·75 0·87	3·19 0·62 0·93 1·61 1·19 6·57 0·67 0·77 0·57	0·43 0·08 0·15	0·59 0·75 0·45 0·08 0·08 0·06 0·25 0·17	0·16 0·08 0·32 0·07 0·09 0·06 0·28	0.22	0.45 0.34 1.25 0.17 0.74 0.22 1.27 0.57 0.95 0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.2	0.32	0.95 1.56 1.44 3.55 2.51 1.27 4.79 2.00 1.69 1.28 3.69 1.72 0.76 1.75 1.59	0.89 0.45 0.45 0.68 0.59 0.53 0.63 0.69 0.38 0.54 0.28 0.31 0.43 0.87	0·17 0·08 0·15 0·29 	4·66 9·09 6·16 6·92 5·30 3·12 2·68 12·87 4·50 5·03 8·47 5·95 7·03 8·41 8·21 6·58 8·51 5·76 5·15 6·45 9·17 4·42 3·51 4·24	Callington Stratton & Bude Launceston Liskeard Torpoint Looe Saltash Bodmin Lostwithiel Wadebridge Truro City Penryn Falmouth Helston St. Ives Penzance Padstow Newquay St. Austell Redruth Camborne Phillack Hayle Madron Paul Ludgvan St. Just	17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43
0.01	1.02	0.37	1.02	0.96	0.67	0.04	0·07 0·10 0·07	0.05	0.00	0.39	0.06	1.91	0.35	0.05	6·11 5·38 6·11	Rural Urban	
-			4				0.09								5.99	County	

Note.—The total death-rate from all causes for the whole County was 14·31 per 1,000 of the population. The Zymotic death-rate was 0·393 per 1,000.

MORTALITY FROM SUBJOINED CAUSES,

Distinguishing Deaths of Children under 5 years of age-1910.

Table No. 5.

No. of District in Report.	SANITARY	Small now	Small-pox.	Measles.		Scarlet Fever.		Whooping Cough.		Diphtheria and	Memb. Croup.	Croup.		Typhus Fever.	F	Enteric Fever.	Other continued	Fever.	Epidemic	Influenza.	Cholera		Plague.		Diarrhœa.		Enteritis.		Coctuitie	Casultus.	Puerneral Fever.		Ervsinelas.	
No. of Distr	DISTRICT.	under 5	5 and over.	under 5	5 and over.	under 5	ann ov	unde	5 and over	under 5	5 and over.	under 5	o and over.	5 and over	under 5	5 and over	under 5	5 and over.	under 5	5 and over	under 5	5 and over	under 5			and over	under 5	5 and over	under 5	5 and over		5 and over	nuder 5	5 and over
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	RURAL. Stratton Launceston Calstock Boscastle Camelford Liskeard St. Germans Bodmin St. Columb St. Austell Truro Redruth East Kerrier Helston West Penwith Scilly Isles			 	 1		1	1		 6 3 2 1 1	1 1 4 1 2	1				3	 -		3	1 1 3 3 2 2 3 1 4 2 2 3 9 1 · 35					2	1		1 1 1 3	31	 1 1 3 1 1 		 1 	1	
17 18 19 20 21 22 23 24 25 26	URBAN. Callington Stratton and Bude Launceston Liskeard Torpoint Looe Saltash Bodmin Lostwithiel Wadebridge					1				"i						i i				1 1 1 1					 2 	1	 1 1 · 1 	1 		 1 				 i i
27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43	St. Ives			3	7	1	1	4			1		2				3	1		2 2 1 2 2 2 15					3 2 5		1 		1 · · · · · · · · · · · · · · · · · · ·	1 		 2		
	77.3			3 4 7	10	1 4 5	1	16 7 		13 8 	9	1 1	2		-		4 . 3 7			35 15 50		 -		. 1	9 .9	1	15 14 29	3 1 - 4		7 2 9		2 3 - 5	-	2 3 5

MORTALITY FROM SUBJOINED CAUSES,

Distinguishing Deaths of Children under 5 years of age-1910.

Table No. 5—continued.

Phthisis.	Other Tubercular	Diseases.		Cancer.		Bronchitis.		Fneumonia.	Pleurisy.	Other Diseases of	Respiratory Organs.	Alcoholism	Cirrhosis of Liver	Vencreal Disease	Premature Birth	the same of the sa	Diseases and Accidents of	Parturition.	Hoont Discoso	Tient's Disease.	Agoidents	Acquenes.	Snicides.		All other	Cittases.	SANITARY	No. of District in Report.
under 5 5 and over.	under 5	5 and over	under 5	5 and over	under 5	5 and over	under 5	5 and over	under 5	under 5	5 and over	under 5	o and over		under 5	5 and over		5 and over	under 5	5 and over	under 5	5 and over	under 5	5 and over	under 5	5 and over	DISTRICT.	No. of Dist
4 10 8 2 11 12 8 8 2 7 2 27 26 2 8 19 11 2 4 187	2 2 2 4 5 2 3 2	2 1 5 1 8 2 1 8 4 9 6 2 	i i i i i i i i i i i i i i i i i i i	6 8 1 6 14 9 7 5 28 27 23 11 25 17 3 190	1 4 2 3 1 6 4 5 26	4 8 3 3 11 8 8 13 37 13 17 4 13 12 154		4 4 1 4 6 5 16 6 24 8 7 1 8 4 	1		1 1 1 1 1 5 1 3 1 5 1 5 1 19		1	1	2 1 3 4 3 3 3 17 5 18 3 8 3 74			2 1 3 1 1 3 	1 1 1 2	6 20 9 5 3 3 45 17 16 16 80 32 22 15 40 23 1	1 1 1 1 2 1 2 	2 1 5 2 4 4 2 12 9 7 2 4 5 1		1 1 1 1 2 2	22 6 14 8 1	17 28 19 10 27 49 54 51 69 87 136 61 115 51 78 50 6	RURAL. Stratton Launceston Calstock Boscastle Camelford Liskeard St. Germans Bodmin St. Columb St. Austell Truro Redruth East Kerrier Helston West Penwith Scilly Isles	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16
1 1 1 5 9 6 22 1 14 2 12 3 3 3 3 3 3 3 3 10		2 2 3 1 2 5 4 1 2 2 1 1 1 1 4 4 2 2 2 2		5 4 6 6 9 3 3 12 1 14 4 7 16 1 4 7	1 1 1 2 1	2 3 4 4 4 6 7 1 14 2 11 6 10 12 4 1 1 3 4 2 2 4	3 3 2 1 2 3 4 4 4 9 1 1 1 1 1 1 1 1 1 1 1	16 2 116 277 11 5 2 2 4 3 3 6 6 2 2 3	1	1	2		1 1 1		F			1 1	1	2 5 14 13 2 2 28 1 4 10 5 17 11 32 2 2 16 2 16 2 16 5 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1	1 1 2 1 1 1 1 7 7 1 2 4 5 5 1 2 2 4 2 4 1 2 4 2 4 1 2 4 2 4 4 2 4 2 4 2 4 4 2 4 2 4 4 2 4 4 2 4 4 2 4 4 2 4 4 3 4 2 4 4 5		1 1 1 1 2 1 2 	1 2 3 3 5 1 9 11 2 15 4 12 8 1 3 24 22 4 4 1 1 2 7 7 1 5	7 19 22 25 19 8 68 6 11 87 17 17 68 82 22 43 82 24 19 65 63 16 63 11 7 17	URBAN. Callington Stratton and Bude Launceston Liskeard Torpoint Looe Saltash Bodmin Lostwithiel Wadebridge Truro City Penryn Falmouth Helston St. Ives Penzance Padstow Newquay St. Austeli Redruth Camborne Phillack Hayle Madron Paul Ludgvan St. Just	19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 40 41
4 210	11	38		162	38	132	42	67	1	5	10		10	2 2	59		1	3	2	 259	11	45		10	146	787		Į.
4 187 4 210	20 11	49 38		190 162		154 132	28 42	98 67	7	7 1	19 10		10 10		74 59		1	12 3			11 11	56 45			156 146	847 787	Rural Urban	
8 397	31	87	1	 352	64	286	70	165	21	2 1	29	-	20	3 2	 133	-	1	15	8	6 09	22	101	-	21	302	1634	County	

INFECTIOUS DISEASE.

Cases of Infectious Disease notified during 1910.

Table No. 6

7	Table No. 6.																											
				j				.	sne			·ó]	FE	VI	ER	s.									_
No. of District in Report.	SANITARY DISTRICT.	1	G. 11	oman-pox.	Olyalowo	Ollolera.		Diphtheria.	Membranous	Croup.	F	Erysipelas.	Coorlot	Scarler.	Typhus	- J Lucas	Enteric	THE COLUMN	Relansing	-Gurana	Continued.		Puerneral.	Tan I	Placino	- nagae	Totals	• 6 days
No. 0			under 5	5 & over	under 5	5 & over	under 5	5 & over	under 5	5 & over	under 5	5 & over	under 5	5 & over	under 5	5 & over		5 & over	under 5	5 & over		5 & over	anna o	5 & over	under 5	5 & over	under 5	5 & over
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	Bodmin	• • • • • • • • • • • • • • • • • • • •		· · · · · · · · · · · · · · · · · · ·			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 3 1 1 17 4 6 1 1 65 39 26 2 23 7				3 1 1 7 13 1 18 9 11 9 11 3 1	2 1 6 1 8 11 3	2 1 6 2 2 2 9 24 42 89 33 9 6 6 3				1 3 1 7 3 4 1 3				1		2 1 1 1 			 2 6 2 1 24 13 3	7 8 9 1 20 35 32 27 26 119 140 69 16 33 20 3
17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43	URBAN. Callington Stratton & Bu Launceston Liskeard Torpoint Looe Saltash Bodmin Lostwithiel Wadebridge Truro City Penryn Falmouth Helston St. Ives Penzance Padstow Newquay St. Austell Redruth Camborne Phillack Hayle Madron Paul Ludgvan St. Just	de						3 3 16 11 15 12 9 12 11 26			• • • • • • • • • • • • • • • • • • • •	79 1 5 1 1 1 2 1 2 3 60	32 2 1 2 1 1 5 12 1 1 3 2 1 50	254 1 2 18 9 74 11 14 2 11 219				-23 -1 8 1 2 1 4 2 2 2 2 2 2				1		1 5			54 1 4 1 4 1 20 1 7 1 12 1 7 11 5 3 2 2 81	565 1 5 3 1 18 1 5 22 3 9 81 2 17 4 32 27 22 11 20 32 61 13 13 11 29 2 12 457
	Rural				1		. 20	198			2	79	32	254	J			23				2		_			54	565
	Urban	• •					. 28	144		Ŀ	2	60	50	219	1		1	28		··		1	•	5	• •		81	457
	County			-	1		. 48	342			4	139	82	473			1	51				3		13			135	1022

Births, Deaths, Natural Increase, and Infantile and Zymotic Deaths

of the Population of Cornwall during the Year 1910.

Table No. 7.

	1		Births.		DE.	ATHS.		TURAL REASE.	Infan	TILE & Z	YMOTIC	DEATHS.
		Population, 1901.	Births.	Birth-rate per 1,000.	Deaths.	Death-rate per 1,000.	Natural Increase.	Natural Increase per 1,000 of the population.	Deaths under 1	Deaths under 1 year per 1,000 Births.	Zymotic Deaths.	Zymotic death-rate per 1,000 of the population.
RURAL	• •	186,376	3,805	20.41	2,452	13.15	1,353	7.26	303	79.63	59	0.498
URBAN		136,329	2,948	21.62	2,169	15.91	779	5.71	274	92.94	68	0.316
COUNTY	٠.	322,705	6,753	20.92	4,621	14.31	2,132	6.66	577	85.44	127	3.393

Remarks.—The above Table shows that, as usual, with the exception of the Birth-rate, all the various rates were in favour of the Rural districts.

Mortality of the Population of Cornwall from all Causes

at the subjoined ages during 1910.

Table No. 8.

	1901.	ages.	-rate.		Deaths	classi					l death at all a		at each	of tl	1ese
	Population, 19	Deaths at all a	General death-	Deaths under 1.	Death-rate.	l and under 5.	Death-rate.	5 and under 15.	Death-rate.	15 and under 25.	Death-rate.	25 and under 65.	Death-rate.	65 and over.	Death-rate.
RURAL	186 376	2,452	19.15	202	123.57	0.5	38.74	70	31.81	104	42.41	799	294.45	1150	460:00
URBAN	2	2,169			126.32				35.96		42.87		332.41		
COUNTY	322,705	4,621	14.31	577	124.86	199	43.06	156	33.75	197	42.63	1	312.27		

Remarks.—By the above Table it will be seen that out of each 1,000 deaths occurring in the County during 1910, omitting fractions—

124 were infants under 1 year.

43 were children over 1 year and under 5.

33 were aged 5 and under 15.

42 ,, 15 ,, 25

312 ,, 25 ,, 65.

443 ,, 65 and over.

The relative proportions of the deaths occurring in Rural and Urban districts are also shown by the Table.

Mortality Rates per 1,000 of the Population of Cornwall

from the undermentioned Diseases and Causes, 1910.

Table No. 9.

from all causes.	15	91	31
Death rate per 1,000	13.1	15	14.3]
All other causes.	0.05 5.38	0.07	0.38 0.06 5.99
Suicides.	0.05	20.0	90.0
Accidents.	0.35	0-41	0.38
Heart Disease.	1.91	1.91	1.91
Diseases and Accidents of Parturition.	90.0	0.03	10.0
Premature Birth.	68.0	0.43	0-41
Venereal Disease.		0.03	0.09 0.06 0 01 0.41 0.04 1.91
Alcoholism { reviral to sisodrariO	0.10 0.05 0.00	-07	90-0
Other diseases of the Respiratory Organs.	0.10	0.02	60.0
Bronchitis, Pneumonia, and Pleurisy.	1.67	1.99	1.87
Cancer.	1.02	1.18	60.
Other Tubercular diseases.	.37	.36	0.36
Phthisis.	1.02 0.37	1 56 0.36	1.23
Erysipelas.	0.01	0.02	-01
Puerperal Fever.	010	0.03	0.05 00.1 0.01
Gastritis.	0.06 0.01	0.04 0	02 0
Enteritis.	0.60.0	0.11	0-09
Біаттраз.	05 0	0.14 0	0 60.
Influenza.	0.00	11 0	0.16 0.03
Continued Fever.	00	0.00	0.00
Enteric Fever.	020		
Group.	00	01 0	00
Memb, Croup.	11 0	12 0.	12 0.
Whooping Cough. In Diphtheria and	0.80	05 0	02 0.
Scarlet Fever.	0.0	0.0	0.0
	0.0	0.0	0.0
Measles,	0.00 0.02 0.01 0.08 0.11 0 00 0.02	0.00 0.10 0.03 0.05 0.12 0.01 0.02	. 0.00 0.05 0.02 0.07 0.12 0.00 0.02
Small-pox.	0.0	0.0	0.0
	·		
	:	:	:
	\$AL	JRBAN	COUNTY
	RURAL	URE	COL

REMARKS. - Whooping Cough, Influenza, Gastritis, and Diseases and Accidents of Parturition were more fatal in the Rural districts than in the Urban; but the former had the advantage over the latter as regards Measles, Scarlet Fever, Diphtheria, Diarrhea, Enteritis, Puerperal Fever, Phthisis, Premature Births, Accidents and Suicides. The Table also shows that 21 per cent. of the total deaths were caused by Phthisis (Consumption) and its allied diseases, Bronchitis and Pleurisy -the same percentage as in the last two years.

Mortality Rates of England and Wales and the Principal Towns compared with those of Cornwall—1910.

Table No. 10.

	MORTALITY PER 1,000 POPULATION FROM									
	All causes.	The following seven Zymotic diseases.	Small-pox.	· Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Fevers,	Diarrhœa.	Deaths under 1 year per 1,000 births.
England and Wales England and Wales 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910	16·9 16·3 15·4 16·2 15·2 15·4 15 0 14 7 14·5 13·4	2·05 1·64 1·46 1·94 1·52 1·73 1·26 1·29 1·12 0·99	0 01 0·08 0·02 0·01 0·00 0·00 0·00 0·00 0·00	0·27 0·38 0·27 0·36 0·32 0·27 0·36 0·13 0·35 0·23	0·13 0·15 0·12 0·11 0·11 0·10 0·09 0·06 0·09 0·06	0·27 0·23 0·18 0·71 0·16 0·17 0·16 0·15 0·14	0·30 0·29 0·27 0·34 0·25 0·23 0·29 0·25 0·20 0·24	0·16 0·13 0·10 0·09 0·09 0·07 0·07 0·06 0·05	0·91 0·38 0·50 0 86 0·59 0·87 0·29 0·33 0·28 0·29	151 133 132 146 128 133 118 121 109 106
$\textbf{CORNWALL}. \qquad \begin{array}{c} 1901 \\ 1902 \\ 1903 \\ 1904 \\ 1905 \\ 1906 \\ 1907 \\ 1908 \\ 1909 \\ 1910 \\ \end{array}$	15·9 16·7 14·2 14·7 15·9 14·4 15·0 14·7 14·8 14·3	0 83 1·15 0·35 0·55 0 82 0·68 0·68 0·56 0·53 0·37	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0·25 0·29 0·01 0·12 0·05 0·06 0·23 0·00 0·09 0·05	0·03 0·03 0·01 0·01 0·02 0·08 0·02 0·04 0·02 0·02	0·11 0·17 0·09 0·07 0·08 0·04 0·09 0·08 0 08 0·12	0·13 0·47 0·04 0·13 0·43 0·13 0·14 0·27 0·13 0·07	0·08 0·07 0·08 0·04 0·03 0 08 0·07 0·04 0·06 0·02	0·23 0·12 0·12 0·18 0·19 0·29 0·13 0·13 0·15 0·09	121 135 99 112 117 99 98 101 96 85
76 Great Towns $ \dots \left\{ \begin{array}{c} 1902 \\ 1903 \\ 1904 \\ 1905 \\ 1906 \\ 1207 \\ 1908 \\ 1909 \\ 1910 \end{array} \right. $	17·4 16·3 17·2 15·7 15·9 15·4 14·9 14·5 14·3	0·12 1·89 2·49 1·88 2·24 1·54 1·59 1·42 1·23	0·12 0·03 0·01 0·00 0·00 0·00 0·00 0·00	0·49 0·36 0·47 0·39 0·40 0·43 0·31 0·48 0·31	0·19 0·14 0·12 0·13 0·12 0·12 0·10 0·11 0·08	0·26 9·20 0·19 0·16 0·19 0·17 0·16 0·15 0·12	0·37 0·33 0·40 0·29 0·28 0·35 0·29 0·24 0·29	0·15 0·12 0·10 0·08 0 09 0·07 0·08 0·06 0 05	0·54 0·71 1·20 0·83 1·16 0·49 0·65 0·38 0·38	145 144 160 140 145 127 128 118
133 Smaller Towns 1910	12.9	0.88	0.00	0.16	0.06	0.11	0.24	0.05	0.26	104

DISTRICT MONTHLY RAINFALL-1910.

Table No. 11.

STATIONS.	Altitude.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October	November.	December.	TOTALS.
	ft.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.
Poughill	200	4.57	4.86	C·63	2.77	2.71	2.26	2.96	3.27	0.21	5.94	6.33	4.98	41.49
Tintagel		3.45	4.22	0.68	2.21	2.08	2.61	2.52	2.77	0.06	5.66	4.33	5.34	35.96
Launceston	476	6.06	6.69	1.15	2.57	2.29	1.67	2.88	5.72	0.14	5.45	5.99	8.90	49.51
Gunnislake	850	4.89	7.07	1.38	2.88	2.52	2.63	3.59	5.84	0.30	6.18	5.84	8.12	51.24
Pentillie Castle	150	7.59	7.09	1.17	3.02	2.77	2.58	4.72	6.22	0.29	6.94	6.19	10.59	59.17
Liskeard	375	6.40	6.76	1.15	2.92	2.91	2.70	4.48	6.33	0.37	7.43	7.24	10.75	59.44
Newquay	100	3.19	4.50	0.63	2.21	1.63	2.14	1.66	2.44	0.32	5.27	5.26	6.76	36.01
Plymouth (Dev.)	117	3.80	5.23	0.76	1.98	3.12	1.93	4.30	5.38	0.33	5.59	4.75	7.30	44.47
Cremyll	25	4.59	6.20	0.97	2.36	2.81	2.30	4.42	6.00	0.39	5 58	5.83	7.25	48.70
Fowey			4.48	1.46	1.69	2.10	3.71	2.96	4.05	0.70	5.30	6.07	5.61	38.13
St. Austell	300	5.86	6.89	1.00	2.75	2.54	3.03	3.54	4.87	0.37	6.65	9.20	8.65	55.35
St. Agnes	318	3.26	5.03	0.73	2.83	1.93	1.85	1.75	2.97	0.21	5.22	5.23	6 10	37.41
Probus		4.92	5.75	0.88	2.53	2.14	2.53	2.27	4.37	0.19	5 96	7.57	8.19	47:30
Truro (R.I.C.)	40	5.48	6.73	1.06	2.85	2.23	2.38	2.36	3.77	0.37	6.93	8.81	9.97	52.94
Redruth		4.95	6.90	1.20	2.98	2 16	2.18	2.27	3.76	0 51	7.17	7.06	9 00	50.14
Trevince	240	5.21	6.38	1.20	2.96	2· 19	2.19	2.66	3 91	0.46	6.77	8.07	8.65	50.95
St. Ives	60	4.01	6.23	1.10	3.14	1.85	1.87	2.66	3.18	0.22	5.34	7.65	6.36	43.61
Phillack	70	3.14	4.50	0.80	2.48	1.91	1.58	2 15	2.62	0.38	5.81	4.04	5.23	34.94
Falmouth (Ob.)	169	5.96	6.33	0.93	2.22	2.50	1.89	2.81	4.18	0.41	8.14	8.52	9.25	53.14
Bosahan		3.26	4.15	0.76	2.22	1.69	1 02	2.26	3.47	0.37	5.90	5.83	7.24	38.17
Marazion	30	4.49	5.52	0.88	2.57	2.45	1.75	2.56	3.53	0.39	8.66	7.88	6.54	47.22
Penzance	55	4.72	5.65	0.82	2.98	2.39	2.10	2.57	3.60	0.33	6.13	7.25	5.85	44.39

Temperature and Humidity—1910.

Table No. 12.

	Mean	Mean Daily	Absolute e Tempe	Mean Relative		
	Temperature.	Range of Temperature.	Highest.	Lowest.	Humidity of the Air.	
	0	0	0	0	saturation=100	
January .	43.59	8.98	52.9	28.4	86	
February	44.99	10.50	53.2	33.7	87	
March	44.81	12 68	57.1	30.7	83	
April	46.42	12.73	59.5	30.6	81	
May	52.70	13.08	73.5	36.3	76	
June	58.43	10.20	71.7	47.1	79	
July	59.38	10.84	71.9	48.2	80	
August	60.75	10.15	72.7	48.4	81	
September	56.64	12:34	68 6	40.3	80	
October	54.09	9.52	64.4	40.7	85	
November	45.22	9.79	55.6	32.9	84	
December	47.07	7· 59	55 3	31.2	85	
Means	51.17	10.70	Highest 73.5	Lowest 28.4	82	

Winter and Summer Temperature and Humidity—1910.

Table No. 13.

		Меап	Mean Daily Range of	Absolute en	Mean Relative	
		Temperature.	Temperature.	Highest.	Lowest.	Humidity of the Air.
WINTER		0	0	0	•	Saturation=100
January		43.59	8.98	52.9	28.4	86
February		44-99	10.50	53.2	33.7	87
March		44.81	12.68	57.1	30.7	83
April		46.42	12.73	59.5	30.6	81
November		45.22	9.79	55.6	32.9	84
December		47.07	7.59	55.3	31.2	85
Means		45:35	10.37	Highest 59.5	Lowest 28.4	84
SUMMER						
May		52.70	13.08	73.5	36.3	76
June		58.43	10.20	71.7	47.1	79
July		59.38	10.84	71.9	48.2	80
August		60.75	10.15	72.7	48.4	81
September		56.64	12:34	68.6	40.3	80
October	• •	54.09	9.52	64.4	40.7	85
Means	• •	56.98	11.02	Highest 73.5	Lowest 36.3	80

RAINFALL-1910.

Table No. 14.

			Mean Total Rainfall.	No. of days with rain (0.01 in. or more).	Greatest fall in 1 day.
January			Inches. 4.72	23	Inches. 0.86
February	• • •		5.74	$\frac{1}{26}$	0.82
March	• •		0.98	9	0.25
April			2.62	18	0.65
May			2.34	15	0.62
June			$2 \cdot 22$	15	0.54
Julv			2.92	15	0.50
August			4.18	21	0.84
September			0.32	4	0.14
October			6.28	19	1.29
November		.,	6.58	26	0.99
December		• •	7.58	27	1.05
Totals			46.48	218	Greatest.

SUMMARY.

Temperature, Humidity, Rainfall, and Sunshine—1910.

Table No. 15.

STATIONS.		Mean Tempera- ture.	Mean Daily Range of Tempera- ture.	Mean Relative Humidity.	Total Rainfall.	Total duration of hours of bright Sunshine.	Authority supplying the Monthly Returns.
Poughill		° *	*	% *	Inches 41.49	*	Miss Field
Tintagel		*	*	*	35.96	*	Mr. W. Taylor
Launceston		†49·12	†15.00	†83	49.51	*	Capt. Ching, R.N.
Gunnislake		*	*	*	51.24	*	Mr. C. A. Wadge
Pentillie Castle		*	*	*	59.17	*	Mr. W. T. Johnson
Liskeard		49.83	10.25	*	59.44	*	Mr. S. W. Jenkin
Newquay		51.19	8.22	†84	36.01	1716	Dr. Vigurs
Plymouth (Dev.)	51.17	10.15	83	44.47	1689	Mr. H. V. Prigg
Cremyll		51.38	12.69	*	48.70	*	Mr. W. Wonnacott
Fowey		51.30	‡11·30	*	§38·13	¶ 943	Dr. Boger
St. Austell		*	*	*	55.35	*	Mr. W. M. Coode
St. Agnes		*	*	*	37.41	*	Dr. Whitworth
Probus		*	*	*	47:30	*	Mr. H. Tresawna
Truro (R.I.C.)		51.5 3	12.60	82	52.94	1687	Mr. G. Penrose
Redruth	• •	*	*	*	50.14	*	Mr. A. Lanyon
Trevince	• •	*	*	*	50.95	*	Mr.E.B. Beauchamp
St. Ives	• .	51.86	8.08	79	46.61	*	Dr. Nieholls
Phillack		*	*	*	34.94	*	Rev. A. P. Hockin
Falmouth (Ob.)		51.17	9.57	84	53.14	1486	Mr. E. Kitto
Bosahan		50.84	8.87	*	38.17	1747	Mr. T. Crawford
Lizard Lights		53.74	*	*	*	*	Mr. H. P. Harrison
Marazion	• •	*	*	*	47.22	*	Mr. T. F. Michell
Penzance	• •	52.49	9.16	79	44.39	1730	Mr. C. H. Benn

^{*} No Observations.

^{† 11} months' average.

^{‡9} months' average.

^{¶ 7} months' total (June to December).

^{§ 11} months' total.

